



1706A MARKER






The 1706A Marker LED provides clear signals for reversing, indicating, or stopping your machine. This light comes in an oval shape and size, which is commonly found on many vehicles, and is available with red, white, or amber lens colors.

The rubber grommet makes it easy to flush install on 12 or 24 volt vehicle systems, ensuring a secure fit.

TECHNICAL DATA

- Housing Material:** PC
- Mounting Options:** Flush
- Lens Material:** PC
- Temperature range:** -40 to +50 °C
- Connector:** 3 way super seal



FEATURES

-  Overheating Protection
-  Over-voltage Protection
-  Polarity Protection

TEST STANDARDS

-  IP69K

For further information visit www.tyriLights.com or contact your local sales team.





1706A MARKER

LENS COLOR	VOLTAGE		AMP DRAW		POWER	PART NO.	EMC	ECE
	Machine	Operating	12 V	24 V			Watts	EN55025 / CISPR25
Amber (turn)	12 V	9-16 V	0,04 A	- A	1 W		5	-
Amber (turn)	24 V	18-32 V	- A	0,3 A	1 W		5	-
Red (tail/stop)	12 V	9-16 V	0,04 A (tail) / 0,2 A (stop)	- A	1 W		5	-
Red (tail/stop)	24 V	18-32 V	- A	0,02 A (tail) / 0,2 A (stop)	1 W		5	-
White (reverse)	12 V	9-16 V	0,1 A	- A	1 W		5	-
White (reverse)	24 V	18-32 V	- A	0.1 A	1 W		5	-

LED work lights are exposed to dirt, fertilizers, road salt, acids and more. For best performance and long lifetime, the lens and the cooling fins must be cleaned on a regular basis.