

Light Patterns:

PRODUCT DATA SHEET






Designed for the off road / 4×4 enthusiast, TYRI's modular light bar has a slim design and replaceable lens, making it ideal for the off road environment. This light can be bracket or surface mounted and the end pieces are removable for maximum flexibility in mounting options.

Providing 4,300 effective lumen light output, this stylish and powerful unit will light your way to adventure.


Available with standard reflector, standard reflector with fog lens (yellow) and black reflector.

TECHNICAL DATA FEATURES TEST STANDARDS Housing Material: Cast Aluminium **Overheating Protection** ТВС `₿ Mounting Options: Hanging Over-voltage Protection TBC Standing Flush Polarity Protection TBC Lens Material: Polycarbonate IP69K Temperature range: -40 to +85 °C Connector: Deutsch (DT04-2P) built EN55025/CISPR 25 Class 5 in. Mating part: DT06-2S R10, see below Weight: 1,7 kg / 3,75 lb

For further infomation visit www.tyrilights.com or contact your local sales team.



Narrow Symmetric






V12 LIGHTBAR

LIGHT OUTPUT	VOLTAGE		AMP DRAW		POWER	COLOR TEMP	LENS PATTERN	REFLECTOR	PART NO.	EMC	ECE
Effective Lumen	Machine	Operating	12 V	24 V	Watts	К				EN55025 / CISPR25	ECE Rating
4,300 eLm	12 V	9-16 V	5,8 A	-	70 W	5,700 K	Narrow Symmetric	Std	V12-003-1	5	R10
4,300 eLm	24 V	18-36 V	-	2,9 A	81 W	5,700 K	Narrow Symmetric	Std	V12-010-1	5	-
4,300 eLm	12 V	9-16 V	5,8 A	-	70 W	5,700 K	Narrow Symmetric	Black	V12-005-1	5	R10
4,300 eLm	12 V	9-16 V	5,8 A	-	70 W	5,700 K	Narrow Symmetric	Fog	V12-007-1	5	R10

TYPICAL LIGHT PATTERNS

Example for V12 Lightbar / 4,300 effective lumen.



V12 Lightbar / 4,300 eLm Narrow, 0-30° 3.0 m / -15° Symmetric

PDS-V12-202412-1-US

LED work lights are exposed to dirt, fertilizers, road salt, acids and more. For best performance and long lifetime, the lens and the cooling fins must be cleaned on a regular basis.